

# ACADEMIC PEDIATRICS

## Subject Index to Volume 13

### A

---

**Adolescence;** *see* Adolescent

#### Adolescent

- Accuracy of child and adolescent weight perceptions and their relationships to dieting and exercise behaviors: a NHANES study (Chung et al). 2013;13:371-8
- Annual report on health care for children and youth in the United States: trends in racial/ethnic, income, and insurance disparities over time, 2002–2009 (Berdahl et al). 2013;13:191-203
- Associations between frequency of bullying involvement and adjustment in adolescence (Gower and Borowsky). 2013;13:214-21
- Behavioral self-concept as predictor of teen drinking behaviors (Dudovitz et al). 2013;13:316-21
- The challenge of reaching adolescents to promote health care (Hambidge). 2013;13:184-5
- Family physical activity and meal practices associated with disordered weight control behaviors in a multiethnic sample of middle-school youth (Wang et al). 2013;13:379-85
- Health care for children and youth in the United States: 13 years of evidence (Clancy et al). 2013;13:181-3
- Health status, emotional/behavioral problems, health care use, and expenditures in overweight/obese US children/adolescents (Turer et al). 2013;13:251-8
- Medical home for adolescents: low attainment rates for those with mental health problems and other vulnerable groups (Adams et al). 2013;13:113–21
- Parental and home environmental facilitators of sugar-sweetened beverage consumption among overweight and obese Latino youth (Bogart et al). 2013;13:348-55
- A randomized trial of the effect of centralized reminder/recall on immunizations and preventive care visits for adolescents (Szilagyi et al). 2013;13:204-13
- Systematic review of mentoring to prevent or reduce alcohol and drug use by adolescents (Thomas et al). 2013;13:292-9
- Systematic review of mentoring to prevent or reduce tobacco use by adolescents (Thomas et al). 2013;13:300-7
- Use of complementary and alternative medical therapies among youth with mental health concerns (Kemper et al). 2013;13:540-5
- Youth tobacco exposure: the pediatrician's role in addressing a persistent problem (Gunn). 2013;13:489-90

#### Alcohol drinking

- Systematic review of mentoring to prevent or reduce alcohol and drug use by adolescents (Thomas et al). 2013;13:292-9

**Alternative medical therapies;** *see* Complementary therapies

#### Ambulatory care

- A randomized trial of the effect of centralized reminder/recall on immunizations and preventive care visits for adolescents (Szilagyi et al). 2013;13:204-13

#### Asthma

- Impact of environmental tobacco smoke on children with asthma, United States, 2003–2010 (Akinbami et al). 2013;13:508-16
- Preventive asthma care delivery in the primary care office: missed opportunities for children with persistent asthma symptoms (Yee et al). 2013;13:98–104

#### Attention deficit disorder with hyperactivity

- Current Australian pediatric practice in the assessment and treatment of ADHD (Efron et al). 2013;13:328-33

- Incidence of enuresis and encopresis among children with attention-deficit/hyperactivity disorder in a population-based birth cohort (Mellon et al). 2013;13:322-7

#### Australia

- Childhood obesity in secondary care: national prospective audit of Australian pediatric practice (Campbell et al). 2013;13:168–76
- Current Australian pediatric practice in the assessment and treatment of ADHD (Efron et al). 2013;13:328-33
- Development of mental health problems and overweight between ages 4 and 11 years: a population-based longitudinal study of Australian children (Jansen et al). 2013;13:159–67

**Autism spectrum disorders;** *see* Child development disorders, pervasive

### B

---

#### Behavior

- Accuracy of child and adolescent weight perceptions and their relationships to dieting and exercise behaviors: a NHANES study (Chung et al). 2013;13:371-8
- Behavioral self-concept as predictor of teen drinking behaviors (Dudovitz et al). 2013;13:316-21
- Family physical activity and meal practices associated with disordered weight control behaviors in a multiethnic sample of middle-school youth (Wang et al). 2013;13:379-85

#### Beverages

- Parental and home environmental facilitators of sugar-sweetened beverage consumption among overweight and obese Latino youth (Bogart et al). 2013;13:348-55
- Trends in sugar-sweetened beverage and 100% fruit juice consumption among California children (Beck et al). 2013;13:364-70

**Birth control;** *see* Contraception

#### Body weight

- Accuracy of child and adolescent weight perceptions and their relationships to dieting and exercise behaviors: a NHANES study (Chung et al). 2013;13:371-8
- Family physical activity and meal practices associated with disordered weight control behaviors in a multiethnic sample of middle-school youth (Wang et al). 2013;13:379-85

#### Body weight changes

- Weight change in pediatric TennCare recipients referred to a commercial weight loss program (Mitchell et al). 2013;13:152–8

#### Brain neoplasms

- Correlates of physiological and psychological stress among parents of childhood cancer and brain tumor survivors (Pollock et al). 2013;13:105–112

**Brain tumor;** *see* Brain neoplasms

#### Bullying

- Associations between frequency of bullying involvement and adjustment in adolescence (Gower and Borowsky). 2013;13:214-21

### C

---

#### California

- Trends in sugar-sweetened beverage and 100% fruit juice consumption among California children (Beck et al). 2013;13:364-70

**Caregivers**

Access to leave benefits for primary caregivers of children with special health care needs: a double bind (Chung et al). 2013;13:222-8

**Certification**

Quality improvement and maintenance of certification (Miles and Moyer). 2013;13:S14-5

**Checklist**

The baby pediatric symptom checklist: development and initial validation of a new social/emotional screening instrument for very young children (Sheldrick et al). 2013;13:72-80

**Child**

Access to leave benefits for primary caregivers of children with special health care needs: a double bind (Chung et al). 2013;13:222-8

Accuracy of child and adolescent weight perceptions and their relationships to dieting and exercise behaviors: a NHANES study (Chung et al). 2013;13:371-8

Adverse childhood experiences: translating knowledge into identification of children at risk for poor outcomes (Marie-Mitchell and O'Connor). 2013;13:14-9

Annual report on health care for children and youth in the United States: trends in racial/ethnic, income, and insurance disparities over time, 2002-2009 (Berdahl et al). 2013;13:191-203

Associations between neighborhood resources and physical activity in inner-city minority children (Galvez et al). 2013;13:20-6

Associations between obesity and comorbid mental health, developmental, and physical health conditions in a nationally representative sample of US children aged 10 to 17 (Halfon et al). 2013;13:6-13

Child injury control: trends, themes, and controversies (Johnston and Ebel). 2013;13:499-507

Childhood obesity in secondary care: national prospective audit of Australian pediatric practice (Campbell et al). 2013;13:168-76

Communicating with parents about immunization safety: messages for pediatricians in the IOM report "the childhood immunization schedule and safety: stakeholder concerns, scientific evidence, and future studies" (Fairbrother et al). 2013;13:387-9

Community health centers: medical homes for children? (Hoilette et al). 2013;13:436-42

To create a better world for children and families: the case for ending childhood poverty (Dreyer). 2013;13:83-90

Development of mental health problems and overweight between ages 4 and 11 years: a population-based longitudinal study of Australian children (Jansen et al). 2013;13:159-67

Disparity of care for children with parent-reported autism spectrum disorders (Harstad et al). 2013;13:334-9

The effect of primary care interventions on children's media viewing habits and exposure to violence (Aragon Neely et al). 2013;13:531-9

Electronic medical record adoption in hospitals that care for children (Teufel II et al). 2013;13:259-63

Girl? interrupted (Plemmons). 2013;13:493-4

Health care for children and youth in the United States: 13 years of evidence (Clancy et al). 2013;13:181-3

Health status, emotional/behavioral problems, health care use, and expenditures in overweight/obese US children/adolescents (Turer et al). 2013;13:251-8

Impact of environmental tobacco smoke on children with asthma, United States, 2003-2010 (Akinbami et al). 2013;13:508-16

Incidence of enuresis and encopresis among children with attention-deficit/hyperactivity disorder in a population-based birth cohort (Mellon et al). 2013;13:322-7

Maternal depressive symptoms and child obesity in low-income urban families (Gross et al). 2013;13:356-63

Moving from research to practice in the primary care of children with autism spectrum disorders (Carbone). 2013;13:390-9

Nine states' use of collaboratives to improve children's health care quality in Medicaid and CHIP (Devers et al). 2013;13:S95-102

Parent partnerships in communication and decision making about subspecialty referrals for children with special needs (Stille et al). 2013;13:122-32

Persistence of mental health problems in very young children investigated by US child welfare agencies (Horwitz et al). 2013;13:524-30

Preventive asthma care delivery in the primary care office: missed opportunities for children with persistent asthma symptoms (Yee et al). 2013;13:98-104

A randomized trial to increase acceptance of childhood vaccines by vaccine-hesitant parents: a pilot study (Williams et al). 2013;13:475-80

Trends in sugar-sweetened beverage and 100% fruit juice consumption among California children (Beck et al). 2013;13:364-70

**Child, preschool**

The baby pediatric symptom checklist: development and initial validation of a new social/emotional screening instrument for very young children (Sheldrick et al). 2013;13:72-80

Developmental and health services in head start preschools: a tiered approach to early intervention (Nelson et al). 2013;13:145-51

Do high-risk preschoolers or overweight mothers meet AAP-recommended behavioral goals for reducing obesity? (Turer et al). 2013;13:243-50

Three questionnaires to detect psychosocial problems in toddlers: a comparison of the BITSEA, ASQ:SE, and KIPPP (de Wolff et al). 2013;13:587-92

**Child development disorders, pervasive**

Disparity of care for children with parent-reported autism spectrum disorders (Harstad et al). 2013;13:334-9

Moving from research to practice in the primary care of children with autism spectrum disorders (Carbone). 2013;13:390-9

**Child health; see Child welfare****Child health services**

Childhood obesity in secondary care: national prospective audit of Australian pediatric practice (Campbell et al). 2013;13:168-76

Developmental and health services in head start preschools: a tiered approach to early intervention (Nelson et al). 2013;13:145-51

Home visiting and the family-centered medical home: synergistic services to promote child health (Toomey and Teng). 2013;13:3-5

**Child welfare**

Home visiting and the family-centered medical home: synergistic services to promote child health (Toomey and Cheng). 2013;13:3-5

Persistence of mental health problems in very young children investigated by US child welfare agencies (Horwitz et al). 2013;13:524-30

A tall order: improve child health (Homer). 2013;13:S5-6

**Children; see Child****Chlamydia**

Chlamydia positivity in New Orleans public high schools, 1996-2005: implications for clinical and public health practices (Nsuami et al). 2013;13:308-15

**Chronic disease**

The role of lay health workers in pediatric chronic disease: a systematic review (Raphael et al). 2013;13:408-20

**Cognition**

Evidence-based milestones for surveillance of cognitive, language, and motor development (Sheldrick and Perrin). 2013;13:577-86

**Communication**

Parent partnerships in communication and decision making about subspecialty referrals for children with special needs (Stille et al). 2013;13:122-32

**Community-based participatory research**

Community-engaged research perspectives: then and now (Barkin et al). 2013;13:93-7

**Community health centers**

Community health centers: medical homes for children? (Hoilette et al). 2013;13:436-42

**Comorbidity**

Associations between obesity and comorbid mental health, developmental, and physical health conditions (Lumeng). 2013;13:1-2

Associations between obesity and comorbid mental health, developmental, and physical health conditions in a nationally representative sample of US children aged 10 to 17 (Halfon et al). 2013;13:6-13

**Competency-based education**

The little organization that could and the seventh competency: the 2012 APPD presidential address (Burke). 2013;13:186-90

**Complementary therapies**

Use of complementary and alternative medical therapies among youth with mental health concerns (Kemper et al). 2013;13:540-5

**Comprehension**

Comprehension on family-centered rounds for limited English proficient families (Lion et al). 2013;13:236-42

**Computers**

Using tablet computers to teach evidence-based medicine to pediatrics residents: a prospective study (Soma et al). 2013;13:546-50

**Continental population groups**

Annual report on health care for children and youth in the United States: trends in racial/ethnic, income, and insurance disparities over time, 2002–2009 (Berdahl et al). 2013;13:191-203

**Continuity of patient care**

Integrating mental health services in primary care continuity clinics: a national CORNET study (Bunik et al). 2013;13:551-7

**Contraception**

Incidence of enuresis and encopresis among children with attention-deficit/hyperactivity disorder in a population-based birth cohort (Mellon et al). 2013;13:322-7

**Cough**

Use of active ingredient information for low socioeconomic status parents' decision-making regarding cough and cold medications: role of health literacy (Yin et al). 2013;13:229-35

**Culture**

Cross-cultural training in pediatric residency: every encounter is a cross-cultural encounter (Javier et al). 2013;13:495-8

**Curriculum**

Evaluation of a national bright futures oral health curriculum for pediatric residents (Bernstein et al). 2013;13:133-9

Pediatric resident perceptions of public health education: learner-based insights into curriculum design and implementation (Johnson et al). 2013;13:558-63

**D****Data collection**

Attitudes about the use of newborn dried blood spots for research: a survey of underrepresented parents (Hendrix et al). 2013;13:451-7

Teaching and assessment of ethics and professionalism: a survey of pediatric program directors (Cook et al). 2013;13:570-6

**Decision making**

A mixed methods study of parental vaccine decision making and parent-provider trust (Glanz et al). 2013;13:481-8

Parent partnerships in communication and decision making about subspecialty referrals for children with special needs (Stille et al). 2013;13:122–32

Use of active ingredient information for low socioeconomic status parents' decision-making regarding cough and cold medications: role of health literacy (Yin et al). 2013;13:229-35

**Delivery of health care**

The challenge of reaching adolescents to promote health care (Hambidge). 2013;13:184-5

Considering context in quality improvement interventions and implementation: concepts, frameworks, and application (McDonald). 2013;13:S45-53

Electronic medical record adoption in hospitals that care for children (Teufel II et al). 2013;13:259-63

Health care for children and youth in the United States: 13 years of evidence (Clancy et al). 2013;13:181-3

Health status, emotional/behavioral problems, health care use, and expenditures in overweight/obese US children/adolescents (Turer et al). 2013;13:251-8

Improving immunization delivery using an electronic health record: the ImmProve project (Bundy et al). 2013;13:458-65

Preventive asthma care delivery in the primary care office: missed opportunities for children with persistent asthma symptoms (Yee et al). 2013;13:98–104

Quality improvement in pediatric health care: introduction to the supplement (McCormick et al). 2013;13:S1-4

Recommendations for evaluation of health care improvement initiatives (Parry et al). 2013;13:S23-30

**Depression**

Maternal depressive symptoms and child obesity in low-income urban families (Gross et al). 2013;13:356-63

**Diet**

Accuracy of child and adolescent weight perceptions and their relationships to dieting and exercise behaviors: a NHANES study (Chung et al). 2013;13:371-8

**Dried blood spot testing**

Attitudes about the use of newborn dried blood spots for research: a survey of underrepresented parents (Hendrix et al). 2013;13:451-7

**Drinking behavior**

Behavioral self-concept as predictor of teen drinking behaviors (Dudovitz et al). 2013;13:316-21

**Drug users**

Systematic review of mentoring to prevent or reduce alcohol and drug use by adolescents (Thomas et al). 2013;13:292-9

**E****Early intervention (education)**

Developmental and health services in head start preschools: a tiered approach to early intervention (Nelson et al). 2013;13:145–51

**Education, medical**

Design, validity, and reliability of a pediatric resident JumpSTART disaster triage scoring instrument (Cicero et al). 2013;13:48-54

Resident cross-cultural training, satisfaction, and preparedness (Frintner et al). 2013;13:65-71

Trends in medical error education: are we failing our residents? (Bradley et al). 2013;13:59–64

**Education, special**

Pediatricians' knowledge, attitudes, and practice patterns regarding special education and individualized education programs (Shah et al). 2013;13:430-5

**Electronic health records**

Electronic medical record adoption in hospitals that care for children (Teufel II et al). 2013;13:259-63

Improving immunization delivery using an electronic health record: the ImmProve project (Bundy et al). 2013;13:458-65

**Emergency medicine**

Quality improvement in pediatric emergency medicine (Macias). 2013;13:S61-8

**Emergency service, hospital**

Primary care spatial density and nonurgent emergency department utilization: a new methodology for evaluating access to care (Mathison et al). 2013;13:278-85

The relationship between parent health literacy and pediatric emergency department utilization: a systematic review (Morrison et al). 2013;13:421-9

**Encopresis**

Incidence of enuresis and encopresis among children with attention-deficit/hyperactivity disorder in a population-based birth cohort (Mellon et al). 2013;13:322-7

**Enuresis**

Incidence of enuresis and encopresis among children with attention-deficit/hyperactivity disorder in a population-based birth cohort (Mellon et al). 2013;13:322-7

**Environment**

Impact of environmental tobacco smoke on children with asthma, United States, 2003–2010 (Akinbami et al). 2013;13:508-16

**Ethics, professional**

Teaching and assessment of ethics and professionalism: a survey of pediatric program directors (Cook et al). 2013;13:570-6

**Ethnic groups**

Annual report on health care for children and youth in the United States: trends in racial/ethnic, income, and insurance disparities over time, 2002–2009 (Berdahl et al). 2013;13:191-203

**Evidence-based medicine**

Evidence-based milestones for surveillance of cognitive, language, and motor development (Sheldrick and Perrin). 2013;13:577-86

Using tablet computers to teach evidence-based medicine to pediatrics residents: a prospective study (Soma et al). 2013;13:546-50

**Exercise**

Accuracy of child and adolescent weight perceptions and their relationships to dieting and exercise behaviors: a NHANES study (Chung et al). 2013;13:371-8

**F****Faculty**

Innovative online faculty development utilizing the power of social media (Klein et al). 2013;13:564-9

**Family**

Comprehension on family-centered rounds for limited English proficient families (Lion et al). 2013;13:236-42

To create a better world for children and families: the case for ending childhood poverty (Dreyer). 2013;13:83-90

Engaging families (and ourselves) in quality improvement: an optimistic and developmental perspective (Bethell). 2013;13:S9-11

Family physical activity and meal practices associated with disordered weight control behaviors in a multiethnic sample of middle-school youth (Wang et al). 2013;13:379-85

Maternal depressive symptoms and child obesity in low-income urban families (Gross et al). 2013;13:356-63

**Female**

Girl? interrupted (Plemmons). 2013;13:493-4

**Fruit**

Trends in sugar-sweetened beverage and 100% fruit juice consumption among California children (Beck et al). 2013;13:364-70

**H****Habits**

The effect of primary care interventions on children's media viewing habits and exposure to violence (Aragon Neely et al). 2013;13:531-9

**Health benefit plans, employee**

Access to leave benefits for primary caregivers of children with special health care needs: a double bind (Chung et al). 2013;13:222-8

**Health education**

Pediatric resident perceptions of public health education: learner-based insights into curriculum design and implementation (Johnson et al). 2013;13:558-63

**Health expenditures**

Health status, emotional/behavioral problems, health care use, and expenditures in overweight/obese US children/adolescents (Turer et al). 2013;13:251-8

**Health knowledge, attitudes, practice**

Pediatricians' knowledge, attitudes, and practice patterns regarding special education and individualized education programs (Shah et al). 2013;13:430-5

**Health literacy**

The relationship between parent health literacy and pediatric emergency department utilization: a systematic review (Morrison et al). 2013;13:421-9

Use of active ingredient information for low socioeconomic status parents' decision-making regarding cough and cold medications: role of health literacy (Yin et al). 2013;13:229-35

**Health personnel**

The role of lay health workers in pediatric chronic disease: a systematic review (Raphael et al). 2013;13:408-20

**Health promotion**

The challenge of reaching adolescents to promote health care (Hambidge). 2013;13:184-5

Home visiting and the family-centered medical home: synergistic services to promote child health (Toomey and Cheng). 2013;13:3-5

**Health resources**

Associations between neighborhood resources and physical activity in inner-city minority children (Galvez et al). 2013;13:20-6

**Health services accessibility**

Access to leave benefits for primary caregivers of children with special health care needs: a double bind (Chung et al). 2013;13:222-8

Primary care spatial density and nonurgent emergency department utilization: a new methodology for evaluating access to care (Mathison et al). 2013;13:278-85

**Health status**

Health status, emotional/behavioral problems, health care use, and expenditures in overweight/obese US children/adolescents (Turer et al). 2013;13:251-8

**Healthcare disparities**

Annual report on health care for children and youth in the United States: trends in racial/ethnic, income, and insurance disparities over time, 2002–2009 (Berdahl et al). 2013;13:191-203

Disparities and quality: the next phase for high-performing pediatric care (Beal and Hasnain-Wynia). 2013;13:S21-2

Disparity of care for children with parent-reported autism spectrum disorders (Harstad et al). 2013;13:334-9

**Home visits; see House calls****Hospital medicine**

Quality improvement research in pediatric hospital medicine and the role of the Pediatric Research in Inpatient Settings (PRIS) network (Simon et al). 2013;13:S54-60

**Hospitals**

Electronic medical record adoption in hospitals that care for children (Teufel II et al). 2013;13:259-63

**House calls**

Home visiting and the family-centered medical home: synergistic services to promote child health (Toomey and Cheng). 2013;13:3-5

**Human rights**

Rights and great responsibilities of academic pediatricians (Cooper). 2013;13:491-2

**I****Immunization**

Communicating with parents about immunization safety: messages for pediatricians in the IOM report "the childhood immunization schedule and safety: stakeholder concerns, scientific evidence, and future studies" (Fairbrother et al). 2013;13:387-9

- Improving immunization delivery using an electronic health record: the ImmProve project (Bundy et al). 2013;13:458-65
- A randomized trial of the effect of centralized reminder/recall on immunizations and preventive care visits for adolescents (Szilagyi et al). 2013;13:204-13

**Income**

- Annual report on health care for children and youth in the United States: trends in racial/ethnic, income, and insurance disparities over time, 2002–2009 (Berdahl et al). 2013;13:191-203

**Infant, newborn**

- Attitudes about the use of newborn dried blood spots for research: a survey of underrepresented parents (Hendrix et al). 2013;13:451-7
- Extending the medical home into the community: a newborn home visitation program for pediatric residents (Tschudy et al). 2013;13:443-50

**Infant, premature**

- Car seat safety for preterm neonates: implementation and testing parameters of the infant car seat challenge (Davis et al). 2013;13:272-7

**Injury; see** Wounds and injuries**Insurance**

- Annual report on health care for children and youth in the United States: trends in racial/ethnic, income, and insurance disparities over time, 2002–2009 (Berdahl et al). 2013;13:191-203

**Intensive care units, neonatal**

- Quality improvement initiatives in neonatal intensive care unit networks: achievements and challenges (Shah et al). 2013;13:S75-83

**Internship and residency**

- Cross-cultural training in pediatric residency: every encounter is a cross-cultural encounter (Javier et al). 2013;13:495-8
- Design, validity, and reliability of a pediatric resident JumpSTART disaster triage scoring instrument (Cicero et al). 2013;13:48-54
- Evaluation of a national bright futures oral health curriculum for pediatric residents (Bernstein et al). 2013;13:133-9
- Incompetent (Marshall). 2013;13:290-1
- The mask (Ristagno). 2013;13:91-2
- Media education in pediatric residencies: a national survey (Christakis et al). 2013;13:55-8
- Pediatric resident perceptions of public health education: learner-based insights into curriculum design and implementation (Johnson et al). 2013;13:558-63
- The pediatrics milestones: initial evidence for their use as learning road maps for residents (Schumacher et al). 2013;13:40-7
- Resident cross-cultural training, satisfaction, and preparedness (Frintner et al). 2013;13:65-71
- Trends in medical error education: are we failing our residents? (Bradley et al). 2013;13:59-64
- Using tablet computers to teach evidence-based medicine to pediatrics residents: a prospective study (Soma et al). 2013;13:546-50

**K****Knowledge**

- Adverse childhood experiences: translating knowledge into identification of children at risk for poor outcomes (Marie-Mitchell and O'Connor). 2013;13:14-9

**L****Language**

- Evidence-based milestones for surveillance of cognitive, language, and motor development (Sheldrick and Perrin). 2013;13:577-86

**Learning**

- Pediatric resident perceptions of public health education: learner-based insights into curriculum design and implementation (Johnson et al). 2013;13:558-63
- The pediatrics milestones: initial evidence for their use as learning road maps for residents (Schumacher et al). 2013;13:40-7

**M****Mass media**

- Media education in pediatric residencies: a national survey (Christakis et al). 2013;13:55-8

**Medicaid**

- Nine states' use of collaboratives to improve children's health care quality in Medicaid and CHIP (Devers et al). 2013;13:S95-102

**Medical audit**

- Childhood obesity in secondary care: national prospective audit of Australian pediatric practice (Campbell et al). 2013;13:168-76

**Medical errors**

- Trends in medical error education: are we failing our residents? (Bradley et al). 2013;13:59-64

**Medical homes; see** Patient-Centered Care**Mental health**

- Assessing the impact of a web-based comprehensive somatic and mental health screening tool in pediatric primary care (Fothergill et al). 2013;13:340-7
- Associations between obesity and comorbid mental health, developmental, and physical health conditions (Lumeng). 2013;13:1-2
- Associations between obesity and comorbid mental health, developmental, and physical health conditions in a nationally representative sample of US children aged 10 to 17 (Halfon et al). 2013;13:6-13
- Development of mental health problems and overweight between ages 4 and 11 years: a population-based longitudinal study of Australian children (Jansen et al). 2013;13:159-67
- Medical home for adolescents: low attainment rates for those with mental health problems and other vulnerable groups (Adams et al). 2013;13:113-21
- Persistence of mental health problems in very young children investigated by US child welfare agencies (Horwitz et al). 2013;13:524-30
- Use of complementary and alternative medical therapies among youth with mental health concerns (Kemper et al). 2013;13:540-5

**Mental health services**

- Integrating mental health services in primary care continuity clinics: a national CORNET study (Bunik et al). 2013;13:551-7

**Mentors**

- Systematic review of mentoring to prevent or reduce tobacco use by adolescents (Thomas et al). 2013;13:300-7

**Minority groups**

- Associations between neighborhood resources and physical activity in inner-city minority children (Galvez et al). 2013;13:20-6

**Mothers**

- Do high-risk preschoolers or overweight mothers meet AAP-recommended behavioral goals for reducing obesity? (Turer et al). 2013;13:243-50

**Motor activity**

- Associations between neighborhood resources and physical activity in inner-city minority children (Galvez et al). 2013;13:20-6
- Family physical activity and meal practices associated with disordered weight control behaviors in a multiethnic sample of middle-school youth (Wang et al). 2013;13:379-85

**Motor skills**

- Evidence-based milestones for surveillance of cognitive, language, and motor development (Sheldrick and Perrin). 2013;13:577-86

**Multi-ingredient cold, flu, and allergy medications**

Use of active ingredient information for low socioeconomic status parents' decision-making regarding cough and cold medications: role of health literacy (Yin et al). 2013;13:229-35

**N****Needs assessment**

Parent partnerships in communication and decision making about subspecialty referrals for children with special needs (Stille et al). 2013;13:122-32

**New Orleans**

Chlamydia positivity in New Orleans public high schools, 1996-2005: implications for clinical and public health practices (Nsami et al). 2013;13:308-15

**O****Obesity**

Associations between obesity and comorbid mental health, developmental, and physical health conditions (Lumeng). 2013;13:1-2

Associations between obesity and comorbid mental health, developmental, and physical health conditions in a nationally representative sample of US children aged 10 to 17 (Halfon et al). 2013;13:6-13

Childhood obesity in secondary care: national prospective audit of Australian pediatric practice (Campbell et al). 2013;13:168-76

Do high-risk preschoolers or overweight mothers meet AAP-recommended behavioral goals for reducing obesity? (Turer et al). 2013;13:243-50

Health status, emotional/behavioral problems, health care use, and expenditures in overweight/obese US children/adolescents (Turer et al). 2013;13:251-8

Maternal depressive symptoms and child obesity in low-income urban families (Gross et al). 2013;13:356-63

Parental and home environmental facilitators of sugar-sweetened beverage consumption among overweight and obese Latino youth (Bogart et al). 2013;13:348-55

**Online systems**

Innovative online faculty development utilizing the power of social media (Klein et al). 2013;13:564-9

**Oral health**

Evaluation of a national bright futures oral health curriculum for pediatric residents (Bernstein et al). 2013;13:133-9

**Outcome assessment (health care)**

Unreadiness for postpartum discharge following healthy term pregnancy: impact on health care use and outcomes (Bernstein et al). 2013;13:27-39

**Overweight**

Development of mental health problems and overweight between ages 4 and 11 years: a population-based longitudinal study of Australian children (Jansen et al). 2013;13:159-67

Do high-risk preschoolers or overweight mothers meet AAP-recommended behavioral goals for reducing obesity? (Turer et al). 2013;13:243-50

Health status, emotional/behavioral problems, health care use, and expenditures in overweight/obese US children/adolescents (Turer et al). 2013;13:251-8

Parental and home environmental facilitators of sugar-sweetened beverage consumption among overweight and obese Latino youth (Bogart et al). 2013;13:348-55

**P****Papillomavirus vaccines**

HPV vaccination of boys in primary care practices (Allison et al). 2013;13:466-74

**Parents**

Attitudes about the use of newborn dried blood spots for research: a survey of underrepresented parents (Hendrix et al). 2013;13:451-7

Communicating with parents about immunization safety: messages for pediatricians in the IOM report "the childhood immunization schedule and safety: stakeholder concerns, scientific evidence, and future studies" (Fairbrother et al). 2013;13:387-9

Correlates of physiological and psychological stress among parents of childhood cancer and brain tumor survivors (Pollock et al). 2013;13:105-112

Disparity of care for children with parent-reported autism spectrum disorders (Harstad et al). 2013;13:334-9

A mixed methods study of parental vaccine decision making and parent-provider trust (Glanz et al). 2013;13:481-8

Parent partnerships in communication and decision making about subspecialty referrals for children with special needs (Stille et al). 2013;13:122-32

Parental and home environmental facilitators of sugar-sweetened beverage consumption among overweight and obese Latino youth (Bogart et al). 2013;13:348-55

A randomized trial to increase acceptance of childhood vaccines by vaccine-hesitant parents: a pilot study (Williams et al). 2013;13:475-80

The relationship between parent health literacy and pediatric emergency department utilization: a systematic review (Morrison et al). 2013;13:421-9

Strict smoke-free home policies among smoking parents in pediatric settings (Ossip et al). 2013;13:517-23

Use of active ingredient information for low socioeconomic status parents' decision-making regarding cough and cold medications: role of health literacy (Yin et al). 2013;13:229-35

**Patient-centered care**

Community health centers: medical homes for children? (Hoilette et al). 2013;13:436-42

Extending the medical home into the community: a newborn home visitation program for pediatric residents (Tschudy et al). 2013;13:443-50

Home visiting and the family-centered medical home: synergistic services to promote child health (Toomey and Cheng). 2013;13:3-5

Medical home for adolescents: low attainment rates for those with mental health problems and other vulnerable groups (Adams et al). 2013;13:113-21

**Patient discharge**

Unreadiness for postpartum discharge following healthy term pregnancy: impact on health care use and outcomes (Bernstein et al). 2013;13:27-39

**Pediatrics**

The American Academy of Pediatrics and quality improvement (McInerney and Sachdeva). 2013;13:S7-8

Assessing the impact of a web-based comprehensive somatic and mental health screening tool in pediatric primary care (Fothergill et al). 2013;13:340-7

The baby pediatric symptom checklist: development and initial validation of a new social/emotional screening instrument for very young children (Sheldrick et al). 2013;13:72-80

Communicating with parents about immunization safety: messages for pediatricians in the IOM report "the childhood immunization schedule and safety: stakeholder concerns, scientific evidence, and future studies" (Fairbrother et al). 2013;13:387-9

Correlates of patient portal enrollment and activation in primary care pediatrics (Ketterer et al). 2013;13:264-71

Cross-cultural training in pediatric residency: every encounter is a cross-cultural encounter (Javier et al). 2013;13:495-8

Current Australian pediatric practice in the assessment and treatment of ADHD (Efron et al). 2013;13:328-33

- Design, validity, and reliability of a pediatric resident JumpSTART disaster triage scoring instrument (Cicero et al). 2013;13:48-54
- Disparities and quality: the next phase for high-performing pediatric care (Beal and Hasnain-Wynia). 2013;13:S21-2
- Evaluation of a national bright futures oral health curriculum for pediatric residents (Bernstein et al). 2013;13:133-9
- Extending the medical home into the community: a newborn home visitation program for pediatric residents (Tschudy et al). 2013;13:443-50
- The mask (Ristagno). 2013;13:91-2
- Media education in pediatric residencies: a national survey (Christakis et al). 2013;13:55-8
- Pediatric collaborative networks for quality improvement and research (Lannon and Peterson). 2013;13:S69-74
- Pediatric resident perceptions of public health education: learner-based insights into curriculum design and implementation (Johnson et al). 2013;13:558-63
- Pediatricians' knowledge, attitudes, and practice patterns regarding special education and individualized education programs (Shah et al). 2013;13:430-5
- The pediatrics milestones: initial evidence for their use as learning road maps for residents (Schumacher et al). 2013;13:40-7
- Qualitative abstracts at the pediatric academic societies meeting: are they less likely to be accepted for presentation? (Colson et al). 2013;13:140-4
- Quality improvement in pediatric emergency medicine (Macias). 2013;13:S61-8
- Quality improvement in pediatric health care: introduction to the supplement (McCormick et al). 2013;13:S1-4
- Quality improvement research in pediatric hospital medicine and the role of the Pediatric Research in Inpatient Settings (PRIS) network (Simon et al). 2013;13:S54-60
- The relationship between parent health literacy and pediatric emergency department utilization: a systematic review (Morrison et al). 2013;13:421-9
- Rights and great responsibilities of academic pediatricians (Cooper). 2013;13:491-2
- The role of lay health workers in pediatric chronic disease: a systematic review (Raphael et al). 2013;13:408-20
- Strict smoke-free home policies among smoking parents in pediatric settings (Ossip et al). 2013;13:517-23
- Teaching and assessment of ethics and professionalism: a survey of pediatric program directors (Cook et al). 2013;13:570-6
- Use of interrupted time series analysis in evaluating pediatric health care quality improvements (Penfold and Zhang). 2013;13:S38-44
- Using tablet computers to teach evidence-based medicine to pediatrics residents: a prospective study (Soma et al). 2013;13:546-50
- Weight change in pediatric TennCare recipients referred to a commercial weight loss program (Mitchell et al). 2013;13:152-8
- Youth tobacco exposure: the pediatrician's role in addressing a persistent problem (Gunn). 2013;13:489-90

### Perception

- Accuracy of child and adolescent weight perceptions and their relationships to dieting and exercise behaviors: a NHANES study (Chung et al). 2013;13:371-8
- Pediatric resident perceptions of public health education: learner-based insights into curriculum design and implementation (Johnson et al). 2013;13:558-63

### Personal satisfaction

- Resident cross-cultural training, satisfaction, and preparedness (Frintner et al). 2013;13:65-71

### Policy

- The role of policy in quality improvement (Simpson and Fairbrother). 2013;13:S16-20
- Strict smoke-free home policies among smoking parents in pediatric settings (Ossip et al). 2013;13:517-23

### Postpartum period

- Unreadiness for postpartum discharge following healthy term pregnancy: impact on health care use and outcomes (Bernstein et al). 2013;13:27-39

### Poverty

- To create a better world for children and families: the case for ending childhood poverty (Dreyer). 2013;13:83-90
- Maternal depressive symptoms and child obesity in low-income urban families (Gross et al). 2013;13:356-63

### Pragmatic clinical trials as topic

- Importance of mixed methods in pragmatic trials and dissemination and implementation research (Albright et al). 2013;13:400-7

### Pregnancy

- Unreadiness for postpartum discharge following healthy term pregnancy: impact on health care use and outcomes (Bernstein et al). 2013;13:27-39

### Primary health care

- Assessing the impact of a web-based comprehensive somatic and mental health screening tool in pediatric primary care (Fothergill et al). 2013;13:340-7
- Correlates of patient portal enrollment and activation in primary care pediatrics (Ketterer et al). 2013;13:264-71
- The effect of primary care interventions on children's media viewing habits and exposure to violence (Aragon Neely et al). 2013;13:531-9
- HPV vaccination of boys in primary care practices (Allison et al). 2013;13:466-74
- Integrating mental health services in primary care continuity clinics: a national CORNET study (Bunik et al). 2013;13:551-7
- Moving from research to practice in the primary care of children with autism spectrum disorders (Carbone). 2013;13:390-9
- The national improvement partnership network: state-based partnerships that improve primary care quality (Shaw et al). 2013;13:S84-94
- Preventive asthma care delivery in the primary care office: missed opportunities for children with persistent asthma symptoms (Yee et al). 2013;13:98-104
- Primary care spatial density and nonurgent emergency department utilization: a new methodology for evaluating access to care (Mathison et al). 2013;13:278-85

### Psychology

- Three questionnaires to detect psychosocial problems in toddlers: a comparison of the BITSEA, ASQ:SE, and KIPPPPI (de Wolff et al). 2013;13:587-92

### Public health

- Pediatric resident perceptions of public health education: learner-based insights into curriculum design and implementation (Johnson et al). 2013;13:558-63

### Public health practice

- Chlamydia positivity in New Orleans public high schools, 1996-2005: implications for clinical and public health practices (Nsuami et al). 2013;13:308-15

## Q

### Quality improvement

- The American Academy of Pediatrics and quality improvement (McInerney and Sachdeva). 2013;13:S7-8
- Cluster randomized trials for health care quality improvement research (Garrison and Mangione-Smith). 2013;13:S31-7
- Considering context in quality improvement interventions and implementation: concepts, frameworks, and application (McDonald). 2013;13:S45-53
- Engaging families (and ourselves) in quality improvement: an optimistic and developmental perspective (Bethell). 2013;13:S9-11
- The national improvement partnership network: state-based partnerships that improve primary care quality (Shaw et al). 2013;13:S84-94

- Pediatric collaborative networks for quality improvement and research (Lannon and Peterson). 2013;13:S69-74
- Practice-based quality improvement/research networks: full speed forward (Kairys et al). 2013;13:S12-3
- Quality improvement and maintenance of certification (Miles and Moyer). 2013;13:S14-5
- Quality improvement in pediatric emergency medicine (Macias). 2013;13:S61-8
- Quality improvement in pediatric health care: introduction to the supplement (McCormick et al). 2013;13:S1-4
- Quality improvement initiatives in neonatal intensive care unit networks: achievements and challenges (Shah et al). 2013;13:S75-83
- Quality improvement research in pediatric hospital medicine and the role of the Pediatric Research in Inpatient Settings (PRIS) network (Simon et al). 2013;13:S54-60
- Recommendations for evaluation of health care improvement initiatives (Parry et al). 2013;13:S23-30
- The role of policy in quality improvement (Simpson and Fairbrother). 2013;13:S16-20
- Use of interrupted time series analysis in evaluating pediatric health care quality improvements (Penfold and Zhang). 2013;13:S38-44

### Quality of health care

- Disparities and quality: the next phase for high-performing pediatric care (Beal and Hasnain-Wynia). 2013;13:S21-2
- The national improvement partnership network: state-based partnerships that improve primary care quality (Shaw et al). 2013;13:S84-94
- Nine states' use of collaboratives to improve children's health care quality in Medicaid and CHIP (Devers et al). 2013;13:S95-102

### Questionnaires

- Three questionnaires to detect psychosocial problems in toddlers: a comparison of the BITSEA, ASQ:SE, and KIPPPPI (de Wolff et al). 2013;13:S87-92

## R

**Race;** *see* Continental population groups

### Randomized controlled trials as topic

- Cluster randomized trials for health care quality improvement research (Garrison and Mangione-Smith). 2013;13:S31-7
- A randomized trial to increase acceptance of childhood vaccines by vaccine-hesitant parents: a pilot study (Williams et al). 2013;13:475-80

### Referral and consultation

- Parent partnerships in communication and decision making about subspecialty referrals for children with special needs (Stille et al). 2013;13:122-32
- Weight change in pediatric TennCare recipients referred to a commercial weight loss program (Mitchell et al). 2013;13:152-8

### Reminder systems

- A randomized trial of the effect of centralized reminder/recall on immunizations and preventive care visits for adolescents (Szilagyi et al). 2013;13:204-13

### Reproducibility of results

- Design, validity, and reliability of a pediatric resident JumpSTART disaster triage scoring instrument (Cicero et al). 2013;13:48-54

### Research

- Attitudes about the use of newborn dried blood spots for research: a survey of underrepresented parents (Hendrix et al). 2013;13:451-7
- Cluster randomized trials for health care quality improvement research (Garrison and Mangione-Smith). 2013;13:S31-7
- Importance of mixed methods in pragmatic trials and dissemination and implementation research (Albright et al). 2013;13:400-7
- Pediatric collaborative networks for quality improvement and research (Lannon and Peterson). 2013;13:S69-74

- Practice-based quality improvement/research networks: full speed forward (Kairys et al). 2013;13:S12-3
- Quality improvement research in pediatric hospital medicine and the role of the Pediatric Research in Inpatient Settings (PRIS) network (Simon et al). 2013;13:S54-60

## S

### Safety

- Car seat safety for preterm neonates: implementation and testing parameters of the infant car seat challenge (Davis et al). 2013;13:272-7
- Communicating with parents about immunization safety: messages for pediatricians in the IOM report "the childhood immunization schedule and safety: stakeholder concerns, scientific evidence, and future studies" (Fairbrother et al). 2013;13:387-9

### Schools

- Family physical activity and meal practices associated with disordered weight control behaviors in a multiethnic sample of middle-school youth (Wang et al). 2013;13:379-85

### Schools, public health

- Chlamydia positivity in New Orleans public high schools, 1996-2005: implications for clinical and public health practices (Nsuami et al). 2013;13:308-15

### Sick leave

- Access to leave benefits for primary caregivers of children with special health care needs: a double bind (Chung et al). 2013;13:222-8

### Smoke

- Strict smoke-free home policies among smoking parents in pediatric settings (Ossip et al). 2013;13:517-23

### Smoking

- Impact of environmental tobacco smoke on children with asthma, United States, 2003-2010 (Akinbami et al). 2013;13:508-16
- Strict smoke-free home policies among smoking parents in pediatric settings (Ossip et al). 2013;13:517-23

### Social adjustment

- Associations between frequency of bullying involvement and adjustment in adolescence (Gower and Borowsky). 2013;13:214-21

### Social class

- Use of active ingredient information for low socioeconomic status parents' decision-making regarding cough and cold medications: role of health literacy (Yin et al). 2013;13:229-35

### Social media

- The effect of primary care interventions on children's media viewing habits and exposure to violence (Aragon Neely et al). 2013;13:531-9
- Innovative online faculty development utilizing the power of social media (Klein et al). 2013;13:564-9

### Societies, medical

- The little organization that could and the seventh competency: the 2012 APPD presidential address (Burke). 2013;13:186-90
- Qualitative abstracts at the pediatric academic societies meeting: are they less likely to be accepted for presentation? (Colson et al). 2013;13:140-4

### Stress, physiological

- Correlates of physiological and psychological stress among parents of childhood cancer and brain tumor survivors (Pollock et al). 2013;13:105-112

### Stress, psychological

- Correlates of physiological and psychological stress among parents of childhood cancer and brain tumor survivors (Pollock et al). 2013;13:105-112

**Survey;** *see* Data collection

### Survivors

- Correlates of physiological and psychological stress among parents of childhood cancer and brain tumor survivors (Pollock et al). 2013;13:105-112

**T**

---

**Teaching**

Teaching and assessment of ethics and professionalism: a survey of pediatric program directors (Cook et al). 2013;13:570-6

**Teaching rounds**

Comprehension on family-centered rounds for limited English proficient families (Lion et al). 2013;13:236-42

**Teen;** *see* Adolescent

**Tobacco**

Youth tobacco exposure: the pediatrician's role in addressing a persistent problem (Gunn). 2013;13:489-90

**Tobacco use**

Systematic review of mentoring to prevent or reduce tobacco use by adolescents (Thomas et al). 2013;13:300-7

**Toddler;** *see* Child, preschool

**U**

---

**United States**

Annual report on health care for children and youth in the United States: trends in racial/ethnic, income, and insurance disparities over time, 2002–2009 (Berdahl et al). 2013;13:191-203

Associations between obesity and comorbid mental health, developmental, and physical health conditions in a nationally representative sample of US children aged 10 to 17 (Halfon et al). 2013;13:6-13

Health care for children and youth in the United States: 13 years of evidence (Clancy et al). 2013;13:181-3

Health status, emotional/behavioral problems, health care use, and expenditures in overweight/obese US children/adolescents (Turer et al). 2013;13:251-8

Impact of environmental tobacco smoke on children with asthma, United States, 2003–2010 (Akinbami et al). 2013;13:508-16

Persistence of mental health problems in very young children investigated by US child welfare agencies (Horwitz et al). 2013;13:524-30

**V**

---

**Vaccination**

HPV vaccination of boys in primary care practices (Allison et al). 2013;13:466-74

**Vaccines**

A mixed methods study of parental vaccine decision making and parent–provider trust (Glanz et al). 2013;13:481-8

A randomized trial to increase acceptance of childhood vaccines by vaccine-hesitant parents: a pilot study (Williams et al). 2013;13:475-80

**Validity and reliability;** *see* Reproducibility of results

**Violence**

The effect of primary care interventions on children's media viewing habits and exposure to violence (Aragon Neely et al). 2013;13:531-9

**Vulnerable populations**

Medical home for adolescents: low attainment rates for those with mental health problems and other vulnerable groups (Adams et al). 2013;13:113–21

**W**

---

**Weight loss**

Weight change in pediatric TennCare recipients referred to a commercial weight loss program (Mitchell et al). 2013;13:152–8

**Work**

Stories that work (Jain). 2013;13:287-9

**Wounds and injuries**

Child injury control: trends, themes, and controversies (Johnston and Ebel). 2013;13:499–507

**Y**

---

**Youth;** *see* Adolescent